

Horse Name _____
 () - () -

Owner Name _____ Primary Phone No. _____ Alternate Phone No. _____

Veterinarian Name _____ Phone No. _____
 () -

Specialty/Emergency Clinic Name _____ Phone No. _____
 () -

Insurance Company _____ Phone No. _____ Insurance Policy No. _____

Feeding Schedule	A.M.	Noon	P.M.
Hay			
Grain			
Medications			
Supplements			

Allergies/Medical Warnings	
Notes/Other	

Health Record						
Vaccination Date	/ /	/ /	/ /	/ /	/ /	/ /
Vaccinated For:						
Deworming Date	/ /	/ /	/ /	/ /	/ /	/ /
Product:						
Farrier Work Date	/ /	/ /	/ /	/ /	/ /	/ /
Teeth Floating Date	/ /	/ /	Other Date	/ /	/ /	/ /
Coggins Test	/ /	/ /	Description:			
	<input type="checkbox"/> Positive <input type="checkbox"/> Negative	<input type="checkbox"/> Positive <input type="checkbox"/> Negative				

Use the gold standard in parasite control — ZIMECTERIN® Gold (ivermectin/praziquantel).

- Approved to control more species and stages of equine parasites than any other brand.¹
- So effective, it's appropriate to use during any phase of your deworming program.
- First dewormer approved by the FDA to effectively control tapeworms with a single dose.

How to administer.

These simple tips should help you successfully give your horse ZIMECTERIN Gold.



1. Slide the ring on the plunger to the prescribed weight marking. Lock it by turning a one-quarter turn to the right.



2. Make sure your horse's mouth is clear of food. Rinse the mouth out with water to make sure it's clear. Then uncup the syringe.



3. Insert the syringe tip as far back in the mouth as possible, at the space between the teeth.



4. Aiming the syringe toward the back of the tongue (not into the cheek pocket), depress the plunger to deposit the paste.



5. Immediately raise your horse's head for a few seconds so it cannot spit the paste out. Wait at least 20 minutes before feeding.

Warning: Not for use in humans. Keep this and all drugs out of reach of children. In horses there have been rare reports of swelling and irritation of the mouth, lips and tongue following administration of ZIMECTERIN Gold. These reactions have been transitory in nature. Do not use in other animal species as severe adverse reactions, including fatalities in dogs, may result.

For more information, go to www.zimecteringold.com.

¹Based on the FDA Freedom of Information summaries.



www.merial.com

1-888-MERIAL-1

*MERIAL, ZIMECTERIN, IVOMEC, the CATTLE HEAD LOGO, HEARTGARD, FRONTLINE and the Dog & Hand Logo are registered trademarks, and the HORSE HEAD LOGO is a trademark, of Merial Limited. *GASTROGARD and ULCERGARD are registered trademarks of the AstraZeneca Group of Companies. ©2009 Merial Limited. Duluth, GA. All rights reserved. ZGDCSA7HEALTHRECORD (1/09)



ZIMECTERIN®

GOLD

(ivermectin 1.55%/praziquantel 7.75%)

The gold standard in parasite control.

MERIAL® Family
of Brands

